

Annex D

Identified three trees within central atrium need to be protected during construction with temporary structure steel roof sheets fixed to structural wooden posts. Sheets dug 200mm into ground to ensure even undergrowth protected as best as possible. to eng instruction.

Fragmented paving edge
to allow forest undergrowth
to merge with paved area

Bird bath
Refer to detail 04

Bird bath
Refer to detail 04
and detail 10

Temporary construction fence temporary structure steel roof sheets fixed to structural wooden posts. Sheets dug 200mm into ground to ensure even undergrowth protected as best as possible. to eng instruction.

Stone walls/Benches
Refer to detail 03

Playground
zone










Balancing pattern
drawn into paving
Refer to detail 09

Stone steps
refer to detail 08

Bird bath
Refer to detail 04
and detail 10

Grass dish drain
to eng specification

MATERIALS KEY

ITEM	SYMBOL	No.	
1		refer to plan	Volcanic stone retaining walls. Thickness & height varies. Refer to plan to Sections
2		60 lineal m	Grassed dish drains. To eng spec
3		33 lineal metres	Amphibolite stone steps
4		480 m ²	Amphibolite stone permeable paving
5		35.7 lineal m	Volcanic stone benches
6		60m ²	Murram parking
7		2000 units	Landscaping planting allowance
8		80	Carved wooden stools. Sustainable hardwood/ Eucalyptus
9		3	Bird baths

Landscape Notes:

© All rights reserved. This drawing is the copyright of The Landscape Studio
Figured dimensions only are to be taken from this drawing. Do not scale this drawing.
Dimensions are in mm and shall be checked on site prior to works commencing. The drawing
is to be read in conjunction with all other relevant drawings, bills of quantities and
specifications. Any discrepancies shall be reported to the Landscape Designer
prior to construction.

Hard-scaped areas are minimum +40mm above grass and planted areas.

To existing trees/vegetation are to be removed without consent of TLS

Final positions of plants will be set out by TLS prior to planting.

After construction TLS will work with the client to reestablish the forest undergrowth to come
and around and construct plant to help the client. It is advised that a nursery is set up
during construction and these plants propagated ready to plant after construction
completion.

<u>Rev</u>	<u>Date</u>	<u>Description</u>	<u>By</u>
00	17/02/2021	ISSUE FOR TENDER	CJH

Client



National Forest Authority
P.O. Box 70863
Kampala, Uganda
Ph: 0776-325959 | Email: sylvia.tumusiime@nfa.go.ug

Funding agency

 **USAID**
FROM THE AMERICAN PEOPLE

US AID
PO Box 7856
Kampala, Uganda

Ph: 0772-138381 | Email: tkaluzny@usaid.gov

Lead consultant

 MBW Consulting Ltd.
P.O. Box 8493
Kampala, Uganda

Ph: 0772-455138 | Email: joelkyobe@mbw.co.ug

Architect

 Studio FH Architects Ltd
P.O. Box 26756
Kampala, Uganda

Arch. Felix Holland | ARB no: 206 | Pract. cert.: 3166

Landscape Designer



The Landscape Studio
P.O. Box 2012
Karen, Nairobi, Kenya.
Landi, Chloe Humphreys MSGD | AAK no: 4412
studio@thelandscapestudio.com

Project	Proposed Kalinzu Forest
Facilities	Eco-tourism Centre and Canopy Walk
Location	Kalinzu Forest Reserve Busheyi District

Drawing title
Visitor center plan 01

Issue type ISSUE FOR TENDER		Scale 1:75	Format A1
Project no. 20004-13	Discipline LANDSCAPE	Drawing no. L103	Revision 00

Fragmented paving edge
to allow forest undergrowth
to merge with paved area

Balancing pattern
drawn into paving
Refer to detail 09

Stone steps
refer to detail 08

Bird bath
Refer to detail 04
and detail 10

Temporary construction fence temporary structure steel roof sheets fixed to structural wooden posts. Sheets dug 200mm into ground to ensure even undergrowth protected as best as possible. to eng instruction.










Stone walls/Benches
Refer to detail 03

Playground
zone

Bird bath
Refer to detail 04
and detail 10

- Grass dish drain to eng specification

MATERIALS KEY

ITEM	SYMBOL	No.	
1		refer to plan	Volcanic stone retaining walls. Thickness & height varies. Refer to plan to Sections
2		60 lineal m	Grassed dish drains. To eng spec
3		33 lineal metres	Amphibolite stone steps
4		480 m ²	Amphibolite stone permeable paving
5		35.7 lineal m	Volcanic stone benches
6		60m ²	Murrum parking
7		2000 units	Landscaping planting allowance
8		80	Carved wooden stools. Sustainable hardwood/ Eucalyptus
9		3	Bird baths

Landscape Notes:

© All rights reserved. This drawing is the copyright of The Landscape Studio
Figured dimensions only are to be taken from this drawing. Do not scale this drawing.
Dimensions are in mm and shall be checked on site prior to works commencing. The draw-
ing is to be used in conjunction with all other relevant drawings, bills of quantities and
specifications. Any discrepancies shall be reported to the Landscape Designer
immediately.

All Hard-scaped areas are minimum +50mm above grass and planted areas.

No existing trees/ vegetation are to be removed without consent of TSL

All final positions of plants will be set out by TSL prior to planting.

After construction TSL will work with the client to reestablish the forest undergrowth to con-
sist of and around all collections to help heal the forest. It is advised that a nursery is set up
during construction and these plants propagated ready to plant after construction
completion.

[illegible]

Client

 National Forest Authority
P.O. Box 70863
Kampala, Uganda

Ph: 0776-325959 | Email: sylvia.tumusiime@nfa.go.ug

Funding agency

 USAID
FROM THE AMERICAN PEOPLE

US AID
PO Box 7856
Kampala, Uganda

Ph: 0772-138381 | Email: tkaluzny@usaid.gov

Lead consultant

MBW
CONSULTING

MBW Consulting Ltd.
P.O. Box 8493
Kampala, Uganda

Ph: 0772-455138 | Email: joelkyobe@mbw.co.ug


Architect



Studio FH Architects Ltd
P.O. Box 26756
Kampala, Uganda

Arch. Felix Holland | ARB no: 206 | Pract. cert.: 3166

Landscape Designer



The Landscape Studio
P.O. Box 2012
Karen, Nairobi, Kenya.
LandD. Chloee Humphreys MSGD | AAK no: 4412
studio@thelandscapestudio.com

Project
Proposed Kalinzu Forest
Facilities
Eco-tourism Centre and Canopy Walk

Location
Kalinzu Forest Reserve
Bushenyi District

Drawing title
Landscape Masterplan zoom 02

Issue type ISSUE FOR TENDER	Scale 1:75	Format A1
Project no. 20004-13	Discipline LANDSCAPE	Drawing no. L104
		Revision 00

Site plan for a temporary camp. The plan includes the following features and annotations:

- Top Left:** "wires at 200mm spacing to support creepers. 30 creepers required. For exact position follow MEP plan"
- Top Center:** "Temporary construction fence temporary structure steel roof sheets fixed to structural wooden posts. Sheets dug 200mm into ground to ensure even undergrowth protected as best as possible. to eng instruction."
- Top Right:** "Camp outdoor dining area & fire-pit zone paving - refer to detail 05"
- Center:** "1200mm wide Slashed & compacted Earth path ensure 1:12 slope achieved"
- Center Right:** "Fire pit- refer to detail 09"
- Bottom Center:** "1200mm wide Slashed & compacted Earth path"
- Bottom Left:** "Paved stone transition into the grass camping oval terrace Refer to detail 02"
- Bottom Center:** "Drainage culvert/ pipes under path to eng specification"
- Bottom Right:** "1200mm wide Earth path to parking ensure 1:12 slope achieved"
- Far Right:** "Camp Parking area Dimensions indicative"
- Bottom Center (Oval Area):** "Grassed dish drain to eng spec", "Camping terrace", "Fig Tree", "LEVEL + 1465.300"
- Bottom Left (Elevation):** "1460.0", "1461.0", "1462.0"
- Orientation:** North arrow pointing towards the top right.
- Other Labels:** "01", "02", "03", "04", "05", "06", "07", "08", "09", "10", "11", "12", "13", "14", "15", "16", "17", "18", "19", "20", "21", "22", "23", "24", "25", "26", "27", "28", "29", "30", "31", "32", "33", "34", "35", "36", "37", "38", "39", "40", "41", "42", "43", "44", "45", "46", "47", "48", "49", "50", "51", "52", "53", "54", "55", "56", "57", "58", "59", "60", "61", "62", "63", "64", "65", "66", "67", "68", "69", "70", "71", "72", "73", "74", "75", "76", "77", "78", "79", "80", "81", "82", "83", "84", "85", "86", "87", "88", "89", "90", "91", "92", "93", "94", "95", "96", "97", "98", "99", "100", "101", "102", "103", "104", "105", "106", "107", "108", "109", "110", "111", "112", "113", "114", "115", "116", "117", "118", "119", "120", "121", "122", "123", "124", "125", "126", "127", "128", "129", "130", "131", "132", "133", "134", "135", "136", "137", "138", "139", "140", "141", "142", "143", "144", "145", "146", "147", "148", "149", "150", "151", "152", "153", "154", "155", "156", "157", "158", "159", "160", "161", "162", "163", "164", "165", "166", "167", "168", "169", "170", "171", "172", "173", "174", "175", "176", "177", "178", "179", "180", "181", "182", "183", "184", "185", "186", "187", "188", "189", "190", "191", "192", "193", "194", "195", "196", "197", "198", "199", "200", "201", "202", "203", "204", "205", "206", "207", "208", "209", "210", "211", "212", "213", "214", "215", "216", "217", "218", "219", "220", "221", "222", "223", "224", "225", "226", "227", "228", "229", "230", "231", "232", "233", "234", "235", "236", "237", "238", "239", "240", "241", "242", "243", "244", "245", "246", "247", "248", "249", "250", "251", "252", "253", "254", "255", "256", "257", "258", "259", "260", "261", "262", "263", "264", "265", "266", "267", "268", "269", "270", "271", "272", "273", "274", "275", "276", "277", "278", "279", "280", "281", "282", "283", "284", "285", "286", "287", "288", "289", "290", "291", "292", "293", "294", "295", "296", "297", "298", "299", "300", "301", "302", "303", "304", "305", "306", "307", "308", "309", "310", "311", "312", "313", "314", "315", "316", "317", "318", "319", "320", "321", "322", "323", "324", "325", "326", "327", "328", "329", "330", "331", "332", "333", "334", "335", "336", "337", "338", "339", "340", "341", "342", "343", "344", "345", "346", "347", "348", "349", "350", "351", "352", "353", "354", "355", "356", "357", "358", "359", "360", "361", "362", "363", "364", "365", "366", "367", "368", "369", "370", "371", "372", "373", "374", "375", "376", "377", "378", "379", "380", "381", "382", "383", "384", "385", "386", "387", "388", "389", "390", "391", "392", "393", "394", "395", "396", "397", "398", "399", "400", "401", "402", "403", "404", "405", "406", "407", "408", "409", "410", "411", "412", "413", "414", "415", "416", "417", "418", "419", "420", "421", "422", "423", "424", "425", "426", "427", "428", "429", "430", "431", "432", "433", "434", "435", "436", "437", "438", "439", "440", "441", "442", "443", "444", "445", "446", "447", "448", "449", "450", "451", "452", "453", "454", "455", "456", "457", "458", "459", "460", "461", "462", "463", "464", "465", "466", "467", "468", "469", "470", "471", "472", "473", "474", "475", "476", "477", "478", "479", "480", "481", "482", "483", "484", "485", "486", "487", "488", "489", "490", "491", "492", "493", "494", "495", "496", "497", "498", "499", "500", "501", "502", "503", "504", "505", "506", "507", "508", "509", "510", "511", "512", "513", "514", "515", "516", "517", "518", "519", "520", "521", "522", "523", "524", "525", "526", "527", "528", "529", "530", "531", "532", "533", "534", "535", "536", "537", "538", "539", "540", "541", "542", "543", "544", "545", "546", "547", "548", "549", "550", "551", "552", "553", "554", "555", "556", "557", "558", "559", "560", "561", "562", "563", "564", "565", "566", "567", "568", "569", "570", "571", "572", "573", "574", "575", "576", "577", "578", "579", "580", "581", "582", "583", "584", "585", "586", "587", "588", "589", "590", "591", "592", "593", "594", "595", "596", "597", "598", "599", "600", "601", "602", "603", "604", "605", "606", "607", "608", "609", "610", "611", "612", "613", "614", "615", "616", "617", "618", "619", "620", "621", "622", "623", "624", "625", "626", "627", "628", "629", "630", "631", "632", "633", "634", "635", "636", "637", "638", "639", "640", "641", "642", "643", "644", "645", "646", "647", "648", "649", "650", "651", "652", "653", "654", "655", "656", "657", "658", "659", "660", "661", "662", "663", "664", "665", "666", "667", "668", "669", "670", "671", "672", "673", "674", "675", "676", "677", "678", "679", "680", "681", "682", "683", "684", "685", "686", "687", "688", "689", "690", "691", "692", "693", "694", "695", "696", "697", "698", "699", "700", "701", "702", "703", "704", "705", "706", "707", "708", "709", "710", "711", "712", "713", "714", "715", "716", "717", "718", "719", "720", "721", "722", "723", "724", "725", "726", "727", "728", "729", "730", "731", "732", "733", "734", "735", "736", "737", "738", "739", "740", "741", "742", "743

Camp outdoor dining area
& fire-pit zone
paving - refer to detail 05

Fire pit- refer to detail 09

Drainage culvert/ pipes under path
to eng specification

Camp Parking area
Dimensions indicitive

Fig Tree

Camping terrace

Grassed dish drain
to eng spec

Landscape Notes:

© All rights reserved. This drawing is the copyright of The Landscape Studio
© All dimensions given are to be taken from this drawing. Do not scale this drawing.
Dimensions are in mm unless otherwise stated. Check on site prior to works commencing. The drawing
is to be read in conjunction with all other relevant drawings, bills of quantities and
specifications. Any discrepancies shall be reported to the Landscape Designer

All Hard-scaped areas are minimum +50mm above grass and planted areas.

No existing trees/ vegetation are to be removed without consent of T.L.S

All final positions of plants will be set out by T.L.S prior to planting.

After construction T.L.S will work with the client to establish the forest undernourishment to control
in and around all construction to help heal the forest. It is advised that a nursery is set up
during construction and these plants propagated ready to plant after construction
completion.

Client



National Forest Authority
P.O. Box 70863
Kampala, Uganda

Ph: 0776-325959 | Email: sylvia.turnusime@nfa.go.ug


Lead consultant

MBW
CONSULTING

MBW Consulting Ltd.
P.O. Box 8493
Kampala, Uganda

Ph: 0772-455138 | Email: info@mbw.co.ug

Landscape Designer

 The Landscape Studio
P.O. Box 2012
Karen, Nairobi, Kenya.
LandD: Chloe Humphreys MSGD | AAK no: 4412

Issue type ISSUE FOR TENDER	Scale 1:100	Format A1
Project no. 20004-13	Discipline LANDSCAPE	Drawing no. L105
		Revision 00