Annex E



Landscape Notes:

Figured dimensions only are to be taken from this drawing. Do not scale this drawing. Dimensions are in mm and shall be checked on site prior to works commencing. The drawing is to be read in conjunction with all other relevant drawings, bills of quantities and specifications. Any discrepancies shall be reported to the Landscape Designer

All Hard-scaped areas are minimum +50mm above grass and planted areas.

No existing trees/ vegetation are to be removed without consent of TLS

All final positions of plants will be set out by TLS prior to planting.

After construction TLS will work with the client to reestablish the forest undergrowth to come in and around all construction to help heal the forest. It is advised that a nursery is set up during construction and these plants propagated ready to plant after construction completion.

Rev	Date	Description	By
00	17/02/2021	ISSUE FOR TENDER	CJH

Client

National Forest Authority
P.O. Box 70863
Kampala, Uganda

Ph: 0776-325959 | Email: sylvia.tumusiime@nfa.go.ug

Funding agency

US AID
PO Box 7856
Kampala, Uganda

Ph: 0772-138381 | Email: tkaluzny@usaid.gov

Lead consultant

MBW Consulting Ltd.
P.O. Box 8493
Kampala, Uganda

Ph: 0772-455138 | Email: joelkyobe@mbw.co.ug

Architect

Studio FH Architects Ltd
P.O. Box 26756
Kampala, Uganda

Arch. Felix Holland | ARB no: 206 | Pract. cert.: 3166

Landscape Designer

The Landscape Studio
P.O. Box 2012
Karen, Nairobi, Kenya.

LandD. Chloe Humphreys MSGD| AAK no: 4412
studio@thelandscapestudio.com

Project

Proposed Kalinzu Forest Facilities

Eco-tourism Centre and Canopy Walk

Location

Kalinzu Forest Reserve
Bushenyi District

Drawing title

Section 01'01

Issue type	Scale	Format
ISSUE FOR TENDER	1:30	A1

Project no.	Discipline	Drawing no.	Revision
20004-13	LANDSCAPE	L301	00



Landscape Notes:

Figured dimensions only are to be taken from this drawing. Do not scale this drawing. Dimensions are in mm and shall be checked on site prior to works commencing. The drawing is to be read in conjunction with all other relevant drawings, bills of quantities and specifications. Any discrepancies shall be reported to the Landscape Designer

All Hard-scaped areas are minimum +50mm above grass and planted areas.

No existing trees/ vegetation are to be removed without consent of TLS

All final positions of plants will be set out by TLS prior to planting.

After construction TLS will work with the client to reestablish the forest undergrowth to come in and around all construction to help heal the forest. It is advised that a nursery is set up during construction and these plants propagated ready to plant after construction completion.

Rev	Date	Description	By
00	17/02/2021	ISSUE FOR TENDER	CJH

Client

National Forest Authority
P.O. Box 70863
Kampala, Uganda

Ph: 0776-325959 | Email: sylvia.tumusiime@nfa.go.ug

Funding agency

US AID
PO Box 7856
Kampala, Uganda

Ph: 0772-138381 | Email: tkaluzny@usaid.gov

Lead consultant

MBW Consulting Ltd.
P.O. Box 8493
Kampala, Uganda

Ph: 0772-455138 | Email: joelkyobe@mbw.co.ug

Architect

Studio FH Architects Ltd
P.O. Box 26756
Kampala, Uganda

Arch. Felix Holland | ARB no: 206 | Pract. cert.: 3166

Landscape Designer

The Landscape Studio
P.O. Box 2012
Karen, Nairobi, Kenya.

LandD. Chloe Humphreys MSGD| AAK no: 4412
studio@thelandscapestudio.com

Project

Proposed Kalinzu Forest Facilities

Eco-tourism Centre and Canopy Walk

Location

Kalinzu Forest Reserve
Bushenyi District

Drawing title

Section 02'02

Issue type	Scale	Format
ISSUE FOR TENDER	1:30	A1

Project no.	Discipline	Drawing no.	Revision
20004-13	LANDSCAPE	L302	00



03

03



Landscape Notes:

Figured dimensions only are to be taken from this drawing. Do not scale this drawing. Dimensions are in mm and shall be checked on site prior to works commencing. The drawing is to be read in conjunction with all other relevant drawings, bills of quantities and specifications. Any discrepancies shall be reported to the Landscape Designer

All Hard-scaped areas are minimum +50mm above grass and planted areas.

No existing trees/ vegetation are to be removed without consent of TLS

All final positions of plants will be set out by TLS prior to planting.

After construction TLS will work with the client to reestablish the forest undergrowth to come in and around all construction to help heal the forest. It is advised that a nursery is set up during construction and these plants propagated ready to plant after construction completion.

Rev	Date	Description	By
00	17/02/2021	ISSUE FOR TENDER	CJH

Client
National Forest Authority
P.O. Box 70863
Kampala, Uganda
Ph: 0776-325959 | Email: sylvia.turnusirme@nfa.go.ug

Funding agency
US AID
PO Box 7856
Kampala, Uganda
Ph: 0772-138381 | Email: tkaluzny@usaid.gov

Lead consultant
MBW Consulting Ltd.
P.O. Box 8493
Kampala, Uganda
Ph: 0772-455138 | Email: joelkyobe@mbw.co.ug

Architect
Studio FH Architects Ltd
P.O. Box 26756
Kampala, Uganda
Arch. Felix Holland | ARB no: 206 | Pract. cert.: 3166

Landscape Designer
The Landscape Studio
P.O. Box 2012
Karen, Nairobi, Kenya.
LandD. Chloe Humphreys MSGD| AAK no: 4412
studio@thelandscapestudio.com

Project
Proposed Kalinzu Forest Facilities

Eco-tourism Centre and Canopy Walk

Location
Kalinzu Forest Reserve
Bushenyi District

Drawing title
Sections 03'03 & 04'04

Issue type	Scale	Format
ISSUE FOR TENDER	1:100	A1

Project no.	Discipline	Drawing no.	Revision
20004-13	LANDSCAPE	L303	00



SECTION 03'03 zoom at Start of Canopy walk Briefing Terrace. Scale 1:30



SECTION 04'04 zoom at End of Canopy walk – Waiting terrace. Scale 1:30

Landscape Notes:

Figured dimensions only are to be taken from this drawing. Do not scale this drawing. Dimensions are in mm and shall be checked on site prior to works commencing. The drawing is to be read in conjunction with all other relevant drawings, bills of quantities and specifications. Any discrepancies shall be reported to the Landscape Designer

All Hard-scaped areas are minimum +50mm above grass and planted areas.

No existing trees/ vegetation are to be removed without consent of TLS

All final positions of plants will be set out by TLS prior to planting.

After construction TLS will work with the client to reestablish the forest undergrowth to come in and around all construction to help heal the forest. It is advised that a nursery is set up during construction and these plants propagated ready to plant after construction completion.

Rev	Date	Description	By
00	17/02/2021	ISSUE FOR TENDER	CJH

Client

National Forest Authority
P.O. Box 70863
Kampala, Uganda
Ph: 0776-325959 | Email: sylvia.tumusiime@nfa.go.ug

Funding agency

US AID
PO Box 7856
Kampala, Uganda
Ph: 0772-138381 | Email: tkaluzny@usaid.gov

Lead consultant

MBW Consulting Ltd.
P.O. Box 8493
Kampala, Uganda
Ph: 0772-455138 | Email: joelkyobe@mbw.co.ug

Architect

Studio FH Architects Ltd
P.O. Box 26756
Kampala, Uganda
Arch. Felix Holland | ARB no: 206 | Pract. cert.: 3166

Landscape Designer

The Landscape Studio
P.O. Box 2012
Karen, Nairobi, Kenya.
LandD. Chloe Humphreys MSGD| AAK no: 4412
studio@thelandscapestudio.com

Project

Proposed Kalinzu Forest Facilities

Eco-tourism Centre and Canopy Walk

Location

Kalinzu Forest Reserve
Bushenyi District

Drawing title

Sections 03'03 & 04'04 zoom

Issue type	Scale	Format
ISSUE FOR TENDER	1:30	A1

Project no.	Discipline	Drawing no.	Revision
20004-13	LANDSCAPE	L304	00



Landscape Notes:

Figured dimensions only are to be taken from this drawing. Do not scale this drawing. Dimensions are in mm and shall be checked on site prior to works commencing. The drawing is to be read in conjunction with all other relevant drawings, bills of quantities and specifications. Any discrepancies shall be reported to the Landscape Designer

All Hard-scaped areas are minimum +50mm above grass and planted areas.

No existing trees/ vegetation are to be removed without consent of TLS

All final positions of plants will be set out by TLS prior to planting.

After construction TLS will work with the client to reestablish the forest undergrowth to come in and around all construction to help heal the forest. It is advised that a nursery is set up during construction and these plants propagated ready to plant after construction completion.

Rev	Date	Description	By
00	17/02/2021	ISSUE FOR TENDER	CJH

Client

National Forest Authority
P.O. Box 70863
Kampala, Uganda
Ph: 0776-325959 | Email: sylvia.turnusiime@nfa.go.ug

Funding agency

US AID
PO Box 7856
Kampala, Uganda
Ph: 0772-138381 | Email: tkaluzny@usaid.gov

Lead consultant

MBW Consulting Ltd.
P.O. Box 8493
Kampala, Uganda
Ph: 0772-455138 | Email: joelkyobe@mbw.co.ug

Architect

Studio FH Architects Ltd
P.O. Box 26756
Kampala, Uganda
Arch. Felix Holland | ARB no: 206 | Pract. cert.: 3166

Landscape Designer

The Landscape Studio
P.O. Box 2012
Karen, Nairobi, Kenya.
LandD. Chloe Humphreys MSGD| AAK no: 4412
studio@thelandscapestudio.com

Project
Proposed Kalinzu Forest Facilities

Eco-tourism Centre and Canopy Walk

Location
Kalinzu Forest Reserve
Bushenyi District

Drawing title
Canopy elevated walkway typical section.
From Pylon P10 - P1F

Issue type	Scale	Format
ISSUE FOR TENDER	1:200	A1

Project no.	Discipline	Drawing no.	Revision
20004-13	LANDSCAPE	L305	00



DETAIL 01_ Retaining volcanic stone walls elevation South Western retaining wall
*Hand dressed to ensure neat joints
*As per engineers detail
**Stone cleaned of dust and wet prior to bonding
*** Curing with wet jute bags for 7 days

DETAIL 01_ Retaining volcanic stone walls
Reference image for coping stones

DETAIL 01_ Local volcanic stone walls reference images



DETAIL 03_ Stone bench - Local volcanic stone
To match natural stone walling in architectural drawings
*Hand dressed to ensure neat joints
*As per engineers detail
**Stone cleaned of dust and wet prior to bonding
*** Curing with wet jute bags for 7 days

DETAIL 03_ Local volcanic stone walls reference image



DETAIL 02_ Retaining volcanic stone walls entrance into campsite terrace
*Hand dressed to ensure neat joints
*As per engineers detail
**Stone cleaned of dust and wet prior to bonding
*** Curing with wet jute bags for 7 days



DETAIL 04_ Bird baths - Local volcanic stone
carved from local volcanic stone boulders.
Each stone approved by the landscape designer

DETAIL 04_ Reference image for birdbaths



DETAIL 09_ Fire pit plan



DETAIL 09_ Fire pit section

Landscape Notes:

Figured dimensions only are to be taken from this drawing. Do not scale this drawing. Dimensions are in mm and shall be checked on site prior to works commencing. The drawing is to be read in conjunction with all other relevant drawings, bills of quantities and specifications. Any discrepancies shall be reported to the Landscape Designer

All Hard-scaped areas are minimum +50mm above grass and planted areas.

No existing trees/ vegetation are to be removed without consent of TLS

All final positions of plants will be set out by TLS prior to planting.

After construction TLS will work with the client to reestablish the forest undergrowth to come in and around all construction to help heal the forest. It is advised that a nursery is set up during construction and these plants propagated ready to plant after construction completion.

Rev	Date	Description	By
00	17/02/2021	ISSUE FOR TENDER	CJH

Client
National Forest Authority
P.O. Box 70863
Kampala, Uganda
Ph: 0776-325959 | Email: sylvia.tumusiime@nfa.go.ug

Funding agency
US AID
PO Box 7856
Kampala, Uganda
Ph: 0772-138381 | Email: tkaluzny@usaid.gov

Lead consultant
MBW Consulting Ltd.
P.O. Box 8493
Kampala, Uganda
Ph: 0772-455138 | Email: joelkyobe@mbw.co.ug

Architect
Studio FH Architects Ltd
P.O. Box 26756
Kampala, Uganda
Arch. Felix Holland | ARB no: 206 | Pract. cert.: 3166

Landscape Designer
The Landscape Studio
P.O. Box 2012
Karen, Nairobi, Kenya.
LandD. Chloe Humphreys MSGD | AAK no: 4412
studio@thelandscapestudio.com

Project
Proposed Kalinzu Forest Facilities
Eco-tourism Centre and Canopy Walk

Location
Kalinzu Forest Reserve
Bushenyi District

Drawing title
Details 01

Issue type	Scale	Format
ISSUE FOR TENDER	1:20	A1

Project no.	Discipline	Drawing no.	Revision
20004-13	LANDSCAPE	L501	00



DETAIL 05_ Amphibolite slate paving
*As per engineers detail



DETAIL 05_ Amphibolite slate paving in plan
Typical detail. Directional laying of the stones as per indicated on plan.
*As per engineers detail



DETAIL 04_ Reference image for Permeable paving Amphibolite slates laid standing



DETAIL 06- plan
DETAIL 06- elevation

DETAIL 06- Solid wooden carved stools to be placed and fixed onto canopy walk terraces.
Ideal to use recycled wood from the cleared area
* sizes average
* Fixing to eng spec.

DETAIL 06- Inspiration for stools is the local Carapa seeds.
Landscape designer to oversee development with the carpenters



DETAIL 09 - Amphibolite paving balancing pattern within paving.
Set within concrete base similar to curb stone edges to paved areas.



DETAIL 07_Parking Murram Surface finish
*As per engineers detail



DETAIL 08_Amphibolite steps
Steps are built with standing slates, as per paving detail
*As per engineers detail



DETAIL10 - Volcanic stone benches built together with bird bath stones

Landscape Notes:

Figured dimensions only are to be taken from this drawing. Do not scale this drawing. Dimensions are in mm and shall be checked on site prior to works commencing. The drawing is to be read in conjunction with all other relevant drawings, bills of quantities and specifications. Any discrepancies shall be reported to the Landscape Designer

All Hard-scaped areas are minimum +50mm above grass and planted areas.

No existing trees/ vegetation are to be removed without consent of TLS

All final positions of plants will be set out by TLS prior to planting.

After construction TLS will work with the client to reestablish the forest undergrowth to come in and around all construction to help heal the forest. It is advised that a nursery is set up during construction and these plants propagated ready to plant after construction completion.

Rev	Date	Description	By
00	17/02/2021	ISSUE FOR TENDER	CJH

Client
National Forest Authority
P.O. Box 70863
Kampala, Uganda
Ph: 0776-325959 | Email: sylvia.tumusiime@nfa.go.ug

Funding agency
US AID
PO Box 7856
Kampala, Uganda
Ph: 0772-138381 | Email: tkaluzny@usaid.gov

Lead consultant
MBW Consulting Ltd.
P.O. Box 8493
Kampala, Uganda
Ph: 0772-455138 | Email: joelkyobe@mbw.co.ug

Architect
Studio FH Architects Ltd
P.O. Box 26756
Kampala, Uganda
Arch. Felix Holland | ARB no: 206 | Pract. cert.: 3166

Landscape Designer
The Landscape Studio
P.O. Box 2012
Karen, Nairobi, Kenya.
LandD. Chloe Humphreys MSGD| AAK no: 4412
studio@thelandscapestudio.com

Project
Proposed Kalinzu Forest Facilities

Eco-tourism Centre and Canopy Walk

Location
Kalinzu Forest Reserve
Bushenyi District

Drawing title
Details 02

Issue type	Scale	Format
ISSUE FOR TENDER	1:20	A1

Project no.	Discipline	Drawing no.	Revision
20004-13	LANDSCAPE	L502	00



DETAIL 09_ Typical detail - Elevated Deck
terraces on canopy walkway
Landscape drawings indicative.
For construction follow Engineers spec.
Deck orientation important - to be aligned
to incoming elevated walkway path



DETAIL 09_ Typical detail of wooden deck layout
Landscape drawings indicative. For construction follow
Engineers spec.



DETAIL 09_ Typical section - Elevated Deck terraces on canopy walkway
Landscape drawings indicative. For construction follow
Engineers spec.

Landscape Notes:

Figured dimensions only are to be taken from this drawing. Do not scale this drawing. Dimensions are in mm and shall be checked on site prior to works commencing. The drawing is to be read in conjunction with all other relevant drawings, bills of quantities and specifications. Any discrepancies shall be reported to the Landscape Designer

All Hard-scaped areas are minimum +50mm above grass and planted areas.

No existing trees/ vegetation are to be removed without consent of TLS

All final positions of plants will be set out by TLS prior to planting.

After construction TLS will work with the client to reestablish the forest undergrowth to come in and around all construction to help heal the forest. It is advised that a nursery is set up during construction and these plants propagated ready to plant after construction completion.

Rev	Date	Description	By
00	17/02/2021	ISSUE FOR TENDER	CJH

Client
National Forest Authority
P.O. Box 70863
Kampala, Uganda
Ph: 0776-325959 | Email: sylvia.tumusiime@nfa.go.ug

Funding agency
US AID
PO Box 7856
Kampala, Uganda
Ph: 0772-138381 | Email: tkaluzny@usaid.gov

Lead consultant
MBW Consulting Ltd.
P.O. Box 8493
Kampala, Uganda
Ph: 0772-455138 | Email: joelkyobe@mbw.co.ug

Architect
Studio FH Architects Ltd
P.O. Box 26756
Kampala, Uganda
Arch. Felix Holland | ARB no: 206 | Pract. cert.: 3166

Landscape Designer
The Landscape Studio
P.O. Box 2012
Karen, Nairobi, Kenya.
LandD. Chloe Humphreys MSGD| AAK no: 4412
studio@thelandscapestudio.com

Project
Proposed Kalinzu Forest Facilities
Eco-tourism Centre and Canopy Walk

Location
Kalinzu Forest Reserve
Bushenyi District

Drawing title
Details 03 - typical details of elevated terraces

Issue type	Scale	Format
ISSUE FOR TENDER	1:20	A1

Project no.	Discipline	Drawing no.	Revision
20004-13	LANDSCAPE	L503	00