

January 2006

The 2005 Health Outcomes Survey- Modified (HOS-M) Results

Final Tables

Prepared for

Louis Johnson
Susan S. Radke
Project Officers
Centers for Medicare & Medicaid Services
7500 Security Boulevard, S1-07-08
Baltimore, MD 21244-1850

Prepared by

Galina Khatutsky
Edith G. Walsh
Patrick Brown
RTI International
411 Waverley Oaks Road, Suite 330
Waltham, MA 02452-8414

RTI Project Numbers 08522.002 and 07964.011

THE 2005 HEALTH OUTCOMES SURVEY-MODIFIED (HOS-M) RESULTS

FINAL TABLES

by Galina Khatutsky
Edith G. Walsh
Patrick Brown

Scientific Reviewer: Gregory C. Pope

Federal Project Officers: Louis Johnson
Susan S. Radke

RTI International*

CMS Contract Nos. 500-00-0030, T. O. #3 and 500-00-0024, T.O. #11

January 2006

These projects were funded by the Centers for Medicare & Medicaid Services under contract nos. 500-00-0030, T. O. #3 and 500-00-0024, T.O. #11. The statements contained in this report are solely those of the authors and do not necessarily reflect the views or policies of the Centers for Medicare & Medicaid Services. RTI assumes responsibility for the accuracy and completeness of the information contained in this project.

*RTI International is a trade name of Research Triangle Institute.

LIST OF TABLES

Table 1	2005 HOS-M: Response rates by plan
Table 2	Comparison of response rates for 2005 HOS-M and 2004 and 2003 PHS
Table 3	2005 HOS-M: Sample distribution by plan
Table 4	2005 HOS-M: Demographic characteristics of respondents by plan Community-residing non-ESRD respondents aged 55+
Table 5	HOS-M: Survey mode by plan Community-residing non-ESRD respondents aged 55+
Table 6	2005 HOS-M: Functional status of community residing non-ESRD respondents aged 55+ by plan (proportions)
Table 7	Functional status of community residing non-ESRD respondents aged 55+ to the 2005 HOS-M by plan (frequencies)
Table 8	2004 PHS and 2005 HOS-M: Comparison of functional status of community residing non-ESRD respondents aged 55+ (proportions)
Table 9	2005 HOS-M: ADL impairment by plan Community-residing non-ESRD respondents aged 55+
Table 10	2005 HOS-M: ADL counts by plan Community-residing non-ESRD respondents aged 55+
Table 11	2005 HOS-M: SF-12 Physical (PCS) and Mental (MCS) Component Mean unadjusted scores by plan Community-residing non-ESRD respondents aged 55+
Table 12	2005 HOS-M: Respondent type by plan Community-residing non-ESRD respondents aged 55+
Table 13	2005 HOS-M: Reasons for proxy respondents by plan Community-residing non-ESRD respondents aged 55+
Table 14	2005 HOS-M: Type of help provided by proxy respondents by plan Community-residing non-ESRD respondents aged 55+
Table 15	2005 HOS-M: Type of professional proxy respondent Community-residing non-ESRD respondents aged 55+
Table 16	2005 HOS-M: Reported memory loss by respondent type by plan Community- residing non-ESRD respondents aged 55+
Table 17	2005 HOS-M: Incontinence rates of respondents by plan Community-residing non-ESRD respondents aged 55+

Table 1
2005 HOS-M: Response rates by plan

Plan type	Plan	# of eligibles	# of respondents ¹	Response rate %
TOTAL SAMPLE		11,113	8,657	77.9
PACE TOTAL		7,673	5,934	77.3
DUAL ELIGIBLE DEMOS TOTAL		3,440	2,723	79.2
MSHO/MnDHO TOTAL		1,903	1,418	74.5
WPP TOTAL		1,106	940	85.0
SCO TOTAL		431	365	84.7
PACE	A	192	151	78.6
PACE	B	728	531	72.9
PACE	C	59	42	71.2
PACE	D	112	92	82.1
PACE	E	106	81	76.4
PACE	F	139	96	69.1
PACE	G	151	146	96.7
PACE	H	91	65	71.4
PACE	I	86	62	72.1
PACE	J	255	190	74.5
PACE	K	226	172	76.1
SCO	L	62	47	75.8
SCO	M	109	88	80.7
SCO	N	260	230	88.5
PACE	O	130	81	62.3
MnDHO	P	37	28	75.7
MSHO	Q	898	709	79.0
MSHO	R	278	197	70.9
MSHO	S	690	484	70.1
PACE	T	116	98	84.5
PACE	U	225	165	73.3
PACE	V	56	41	73.2
PACE	W	1,017	785	77.2
PACE	X	260	189	72.7
PACE	Y	174	133	76.4
PACE	Z	203	146	71.9
PACE	AA	502	397	79.1
PACE	BB	159	124	78.0
PACE	CC	236	172	72.9
PACE	DD	192	148	77.1
PACE	EE	575	483	84.0
PACE	FF	160	115	71.9
WPP	GG	40	29	72.5
WPP	HH	408	371	90.9
WPP	II	269	208	77.3
WPP	JJ	389	332	85.3
PACE	KK	361	295	81.7
PACE	LL	779	641	82.3
PACE	MM	241	191	79.3
PACE	NN	142	102	71.8

NOTES:

¹ Respondents are defined as eligibles who completed all 6 ADL questions (items 4a-4f).

SOURCE: RTI analysis of the HOS-M data, 2005.

Computer Output: phs2005_03b

Table 2
Comparison of response rates for 2005 HOS-M and 2004 and 2003 PHS*

Plan type	Plan	2005 HOS-M			2004 PHS			2003 PHS		
		# of eligibles	# of respondents ¹	Response rate %	# of eligibles	# of respondents ¹	Response rate %	# of eligibles	# of respondents ¹	Response rate %
PACE TOTAL		7,673	5,934	77.3	7,725	5,778	74.8	6,250	4,747	76.0
DUAL ELIGIBLE DEMOS TOTAL		3,440	2,723	79.2	2,968	2,227	75.0	2,564	2,011	78.4
MSHO/MnDHO TOTAL		1,903	1,418	74.5	1,919	1,404	73.2	1,618	1,227	75.8
WPP TOTAL		1,106	940	85.0	1,049	823	78.5	946	784	82.9
SCO TOTAL		431	365	84.7		*			*	
PACE	A	192	151	78.6	176	139	79.0	107	77	72.0
PACE	B	728	531	72.9	782	545	69.7	482	354	73.4
PACE	C	59	42	71.2		*			*	
PACE	D	112	92	82.1	75	59	78.7		*	
PACE	E	106	81	76.4	135	103	76.3	107	82	76.6
PACE	F	139	96	69.1	156	103	66.0	77	50	64.9
PACE	G	151	146	96.7	152	137	90.1	136	126	92.6
PACE	H	91	65	71.4	89	50	56.2	73	47	64.4
PACE	I	86	62	72.1	93	57	61.3	74	40	54.1
PACE	J	255	190	74.5		*			*	
PACE	K	226	172	76.1	263	166	63.1	270	183	67.8
SCO	L	62	47	75.8		*			*	
SCO	M	109	88	80.7		*			*	
SCO	N	260	230	88.5		*			*	
PACE	O	130	81	62.3	149	94	63.1	137	90	65.7
MnDHO	P	37	28	75.7	31	28	90.3	77	58	75.3
MSHO	Q	898	709	79.0	997	744	74.6	877	656	74.8
MSHO	R	278	197	70.9	237	185	78.1	239	181	75.7
MSHO	S	690	484	70.1	654	447	68.3	425	332	78.1
PACE	T	116	98	84.5	150	138	92.0	124	103	83.1
PACE	U	225	165	73.3	248	203	81.9	154	107	69.5
PACE	V	56	41	73.2	75	64	85.3	71	52	73.2
PACE	W	1,017	785	77.2	969	707	73.0	822	612	74.5
PACE	X	260	189	72.7	294	192	65.3	268	190	70.9
PACE	Y	174	133	76.4	189	139	73.5	151	113	74.8
PACE	Z	203	146	71.9	218	168	77.1	116	92	79.3
PACE	AA	502	397	79.1	486	370	76.1	414	317	76.6
PACE	BB	159	124	78.0	142	95	66.9	120	91	75.8
PACE	CC	236	172	72.9	277	205	74.0	265	203	76.6
PACE	DD	192	148	77.1	230	194	84.3	171	151	88.3
PACE	EE	575	483	84.0	587	478	81.4	515	440	85.4
PACE	FF	160	115	71.9	169	133	78.7	123	108	87.8
WPP	GG	40	29	72.5	56	38	67.9	126	97	77.0
WPP	HH	408	371	90.9	368	322	87.5	268	225	84.0
WPP	II	269	208	77.3	264	183	69.3	223	177	79.4
WPP	JJ	389	332	85.3	361	280	77.6	329	285	86.6
PACE	KK	361	295	81.7	356	269	75.6	340	271	79.7
PACE	LL	779	641	82.3	818	630	77.0	744	586	78.8
PACE	MM	241	191	79.3	272	217	79.8	235	144	61.3
PACE	NN	142	102	71.8	175	123	70.3	154	118	76.6

NOTES:

* Some plans did not participate in earlier survey years.

¹ Respondents are defined as eligibles who completed all 6 ADL questions (items 4a-4f).

SOURCE: RTI analysis of the HOS-M data, 2005 and 2003 and 2004 PHS.

Table 3
2005 HOS-M: Sample distribution by plan

Plan type	Plan	Initial sample frame	Survey eligibles	Survey respondents	Completed all ADL survey questions	Completed all questions for SF-12 PCS and MCS scores	Payment ¹ sample	Institutionalized
TOTAL SAMPLE		12,776	11,113	9,196	8,657	9,196	8,326	604
PACE TOTAL		8,665	7,673	6,317	5,934	6,317	5,668	476
DUAL ELIGIBLE DEMOS TOTAL		4,111	3,440	2,879	2,723	2,879	2,658	128
MSHO/MnDHO TOTAL		2,426	1,903	1,489	1,418	1,489	1,394	68
WPP TOTAL		1,198	1,106	999	940	999	900	58
SCO TOTAL		487	431	391	365	391	364	2
PACE	A	216	192	157	151	157	151	0
PACE	B	816	728	570	531	570	478	87
PACE	C	69	59	43	42	43	41	2
PACE	D	119	112	98	92	98	88	6
PACE	E	121	106	84	81	84	80	3
PACE	F	161	139	105	96	105	88	17
PACE	G	169	151	146	146	146	121	29
PACE	H	103	91	70	65	70	61	6
PACE	I	105	86	70	62	70	60	5
PACE	J	286	255	203	190	203	179	34
PACE	K	248	226	180	172	180	170	2
SCO	L	83	62	54	47	54	47	0
SCO	M	123	109	94	88	94	88	0
SCO	N	281	260	243	230	243	229	2
PACE	O	147	130	91	81	91	75	9
MnDHO	P	43	37	29	28	29	28	0
MSHO	Q	1,202	898	739	709	739	709	6
MSHO	R	332	278	207	197	207	175	58
MSHO	S	849	690	514	484	514	482	4
PACE	T	136	116	102	98	102	96	2
PACE	U	246	225	182	165	182	164	1
PACE	V	65	56	47	41	47	38	10
PACE	W	1,187	1,017	846	785	846	776	31
PACE	X	303	260	202	189	202	178	24
PACE	Y	194	174	143	133	143	126	13
PACE	Z	241	203	155	146	155	142	11
PACE	AA	558	502	431	397	431	394	4
PACE	BB	175	159	133	124	133	107	19
PACE	CC	278	236	184	172	184	172	0
PACE	DD	217	192	155	148	155	148	0
PACE	EE	638	575	504	483	504	466	40
PACE	FF	194	160	124	115	124	111	8
WPP	GG	43	40	33	29	33	29	0
WPP	HH	438	408	391	371	391	349	32
WPP	II	292	269	223	208	223	206	4
WPP	JJ	425	389	352	332	352	316	22
PACE	KK	400	361	307	295	307	285	21
PACE	LL	845	779	674	641	674	604	50
PACE	MM	268	241	202	191	202	179	21
PACE	NN	160	142	109	102	109	90	21

NOTES:

¹ Payment sample includes community-residing non-ESRD respondents aged 55+ who completed all 6 ADL questions.

SOURCE: RTI analysis of the HOS-M data, 2005.

Computer Output: phs2005_04c

Table 4
2005 HOS-M: Demographic characteristics of respondents¹ by plan
Community-residing non-ESRD respondents aged 55+

Plan type	Plan	Mean age			Race							Gender	
		Total	Male	Female	White %	Black %	Other %	Asian %	Hispanic %	North American Native %	Unknown %	Male %	Female %
TOTAL SAMPLE		78.2	75.9	79.0	54.7	21.0	2.9	10.7	9.8	0.4	0.4	26.7	73.3
PACE TOTAL		79.5	76.9	80.4	51.1	24.7	2.8	9.9	11.0	0.3	0.3	26.4	73.6
DUAL ELIGIBLE DEMOS TOTAL		75.4	74.0	76.0	62.6	13.2	3.3	12.2	7.3	0.8	0.6	27.2	72.8
MSHO/MnDHO TOTAL		75.2	73.7	75.8	56.0	12.6	4.7	22.3	2.7	1.3	0.4	27.0	73.0
WPP TOTAL		75.9	74.1	76.5	80.1	15.6	0.9	1.2	1.4	0.3	0.4	26.9	73.1
SCO TOTAL		75.0	74.5	75.3	44.2	9.6	3.8	0.8	39.6	0.3	1.6	28.6	71.4
PACE	A	76.4	75.1	77.0	39.1	1.3	2.6	2.0	53.6	1.3	0.0	31.8	68.2
PACE	B	79.7	77.9	80.3	81.4	10.9	0.2	0.6	6.1	0.2	0.6	26.6	73.4
PACE	C	79.0	75.4	79.9	36.6	53.7	0.0	2.4	7.3	0.0	0.0	19.5	80.5
PACE	D	74.4	70.8	75.7	76.1	19.3	1.1	1.1	2.3	0.0	0.0	26.1	73.9
PACE	E	79.7	76.9	80.1	42.5	51.3	0.0	0.0	6.3	0.0	0.0	12.5	87.5
PACE	F	81.6	76.8	83.1	71.6	22.7	2.3	3.4	0.0	0.0	0.0	23.9	76.1
PACE	G	83.2	81.4	83.6	96.7	0.8	0.0	0.8	1.7	0.0	0.0	17.4	82.6
PACE	H	79.8	78.1	80.5	21.3	50.8	9.8	0.0	13.1	0.0	4.9	27.9	72.1
PACE	I	78.2	77.7	78.4	73.3	20.0	1.7	0.0	5.0	0.0	0.0	30.0	70.0
PACE	J	75.3	71.0	77.4	73.7	6.7	1.7	2.2	15.6	0.0	0.0	33.5	66.5
PACE	K	81.1	78.9	81.6	92.9	1.2	0.6	0.6	4.7	0.0	0.0	16.5	83.5
SCO	L	75.8	76.8	75.5	87.2	0.0	0.0	4.3	4.3	0.0	4.3	25.5	74.5
SCO	M	76.9	77.0	76.9	30.7	21.6	10.2	1.1	34.1	0.0	2.3	34.1	65.9
SCO	N	74.1	72.8	74.6	40.6	7.0	2.2	0.0	48.9	0.4	0.9	27.1	72.9
PACE	O	80.2	81.0	80.0	5.3	93.3	0.0	0.0	0.0	0.0	1.3	20.0	80.0
MnDHO	P	59.8	59.7	59.9	96.4	3.6	0.0	0.0	0.0	0.0	0.0	32.1	67.9
MSHO	Q	75.5	74.5	75.9	51.3	7.3	6.9	31.3	2.0	1.0	0.1	27.4	72.6
MSHO	R	73.1	72.1	73.6	41.1	37.7	2.3	13.1	3.4	2.3	0.0	35.4	64.6
MSHO	S	76.4	74.3	77.1	66.0	11.6	2.5	13.7	3.7	1.5	1.0	23.2	76.8
PACE	T	78.6	74.9	79.3	29.2	70.8	0.0	0.0	0.0	0.0	0.0	14.6	85.4
PACE	U	83.2	81.8	83.5	92.1	7.3	0.0	0.0	0.0	0.6	0.0	17.1	82.9
PACE	V	77.6	76.3	78.1	92.1	5.3	0.0	0.0	2.6	0.0	0.0	26.3	73.7
PACE	W	78.5	76.8	79.2	27.2	23.6	7.6	23.2	17.8	0.0	0.6	29.6	70.4
PACE	X	80.8	78.3	81.6	75.8	20.2	0.0	0.0	3.9	0.0	0.0	24.7	75.3
PACE	Y	76.1	74.5	76.6	17.5	81.0	0.8	0.0	0.8	0.0	0.0	21.4	78.6
PACE	Z	72.0	67.8	73.4	38.7	59.9	0.7	0.0	0.0	0.7	0.0	24.6	75.4
PACE	AA	80.1	77.1	81.2	89.8	7.6	0.5	0.8	1.0	0.3	0.0	26.4	73.6
PACE	BB	81.0	76.9	81.8	1.9	95.3	0.0	0.9	1.9	0.0	0.0	16.8	83.2
PACE	CC	79.8	74.4	81.6	19.2	79.7	0.6	0.0	0.6	0.0	0.0	25.6	74.4
PACE	DD	78.9	75.3	80.1	49.3	50.0	0.0	0.0	0.7	0.0	0.0	25.7	74.3
PACE	EE	78.9	78.1	79.3	46.8	1.3	1.3	0.0	50.6	0.0	0.0	39.1	60.9
PACE	FF	76.7	73.2	78.4	66.7	18.9	6.3	3.6	0.9	3.6	0.0	33.3	66.7
WPP	GG	62.1	60.7	62.5	79.3	17.2	3.4	0.0	0.0	0.0	0.0	24.1	75.9
WPP	HH	75.6	73.0	76.7	98.0	0.0	0.3	0.9	0.0	0.6	0.3	29.2	70.8
WPP	II	76.0	75.1	76.4	44.2	49.5	0.0	0.0	5.3	0.5	0.5	29.1	70.9
WPP	JJ	77.3	76.2	77.7	83.9	10.4	1.9	2.5	0.6	0.0	0.6	23.1	76.9
PACE	KK	79.2	73.4	80.9	58.2	37.5	0.7	0.4	2.5	0.7	0.0	22.1	77.9
PACE	LL	83.7	82.1	84.2	21.9	6.1	9.3	56.1	6.0	0.2	0.5	23.7	76.3
PACE	MM	78.7	76.6	80.1	26.8	58.1	0.6	7.8	6.1	0.6	0.0	38.0	62.0
PACE	NN	81.9	78.9	82.5	68.9	14.4	2.2	3.3	10.0	1.1	0.0	16.7	83.3

NOTES:

¹ Respondents are defined as eligibles who completed all 6 ADL questions (items 4a-4f).

SOURCE: RTI analysis of the HOS-M data, 2005.

Computer Output: phs2005_04b

Table 5
HOS-M: Survey mode by plan¹
Community-residing non-ESRD respondents aged 55+

Plan type	Plan	Telephone	Mail
		interview	
		%	%
TOTAL SAMPLE		28.0	72.0
PACE TOTAL		31.2	68.8
DUAL ELIGIBLE DEMOS TOTAL		18.1	81.9
MSHO/MnDHO TOTAL		23.8	76.2
WPP TOTAL		26.6	73.4
SCO TOTAL		21.2	78.8
PACE	A	23.2	76.8
PACE	B	32.0	68.0
PACE	C	12.2	87.8
PACE	D	29.5	70.5
PACE	E	25.0	75.0
PACE	F	29.5	70.5
PACE	G	14.9	85.1
PACE	H	49.2	50.8
PACE	I	50.0	50.0
PACE	J	34.1	65.9
PACE	K	50.6	49.4
SCO	L	19.1	80.9
SCO	M	36.4	63.6
SCO	N	24.5	75.5
PACE	O	34.7	65.3
MHDHO	P	28.6	71.4
MSHO	Q	17.8	82.2
MSHO	R	17.7	82.3
MSHO	S	18.3	81.7
PACE	T	21.9	78.1
PACE	U	32.3	67.7
PACE	V	28.9	71.1
PACE	W	34.4	65.6
PACE	X	36.0	64.0
PACE	Y	31.0	69.0
PACE	Z	23.9	76.1
PACE	AA	32.7	67.3
PACE	BB	34.6	65.4
PACE	CC	27.9	72.1
PACE	DD	24.3	75.7
PACE	EE	32.4	67.6
PACE	FF	24.3	75.7
WPP	GG	51.7	48.3
WPP	HH	16.9	83.1
WPP	II	30.6	69.4
WPP	JJ	24.4	75.6
PACE	KK	22.5	77.5
PACE	LL	35.6	64.4
PACE	MM	21.8	78.2
PACE	NN	20.0	80.0

NOTES:

¹ Respondents are defined as eligibles who completed all 6 ADL questions (items 4a-4f)

SOURCE: RTI analysis of the HOS-M data, 2005.

Computer Output: phs2005_04d

Table 6
2005 HOS-M: Functional status of community residing non-ESRD respondents¹ aged 55+ ² by plan

Plan type	Plan	# of respondents	Mean # of ADLs	No ADLs	1-2 ADLs	3-4 ADLs	5-6 ADLs
				%	%	%	%
TOTAL SAMPLE		8,326	3.1	17.2	24.6	22.3	35.9
PACE TOTAL		5,668	3.5	11.9	22.1	23.4	42.5
DUAL ELIGIBLE DEMOS TOTAL		2,658	2.3	28.4	30.1	19.7	21.9
MSHO/MnDHO TOTAL		1,394	2.0	35.3	29.6	17.0	18.1
WPP TOTAL		900	2.9	16.3	30.7	23.8	29.2
SCO TOTAL		364	2.1	31.6	30.5	20.1	17.9
PACE	A	151	3.9	9.3	17.2	24.5	49.0
PACE	B	478	2.9	16.3	30.3	24.3	29.1
PACE	C	41	4.3	12.2	7.3	14.6	65.9
PACE	D	88	3.2	10.2	30.7	26.1	33.0
PACE	E	80	3.2	7.5	33.8	26.3	32.5
PACE	F	88	3.0	20.5	18.2	30.7	30.7
PACE	G	121	4.5	4.1	14.9	13.2	67.8
PACE	H	61	3.7	14.8	13.1	29.5	42.6
PACE	I	60	2.3	18.3	43.3	21.7	16.7
PACE	J	179	2.9	16.8	30.7	24.6	27.9
PACE	K	170	3.7	8.2	21.2	26.5	44.1
SCO	L	47	1.5	42.6	36.2	8.5	12.8
SCO	M	88	3.3	19.3	17.0	28.4	35.2
SCO	N	229	1.8	34.1	34.5	19.2	12.2
PACE	O	75	3.4	12.0	28.0	17.3	42.7
MnDHO	P	28	3.7	21.4	10.7	14.3	53.6
MSHO	Q	709	2.0	36.8	27.8	17.5	17.9
MSHO	R	175	2.0	35.4	30.3	17.1	17.1
MSHO	S	482	2.0	33.8	33.0	16.4	16.8
PACE	T	96	3.8	9.4	19.8	22.9	47.9
PACE	U	164	3.8	6.1	19.5	31.7	42.7
PACE	V	38	4.3	5.3	10.5	23.7	60.5
PACE	W	776	3.4	13.5	22.3	25.3	38.9
PACE	X	178	3.9	5.1	19.7	24.7	50.6
PACE	Y	126	3.4	13.5	23.0	23.0	40.5
PACE	Z	142	2.8	14.1	33.1	31.0	21.8
PACE	AA	394	4.0	7.9	18.0	22.8	51.3
PACE	BB	107	3.7	9.3	18.7	29.0	43.0
PACE	CC	172	4.5	5.8	12.2	19.8	62.2
PACE	DD	148	4.5	6.8	8.8	20.3	64.2
PACE	EE	466	3.5	16.5	18.2	23.4	41.8
PACE	FF	111	4.1	3.6	21.6	18.0	56.8
WPP	GG	29	3.7	3.4	31.0	20.7	44.8
WPP	HH	349	2.9	15.2	32.1	25.2	27.5
WPP	II	206	3.0	17.0	25.7	24.3	33.0
WPP	JJ	316	2.8	18.4	32.3	22.2	27.2
PACE	KK	285	3.1	16.8	25.6	23.2	34.4
PACE	LL	604	3.7	12.1	21.0	18.4	48.5
PACE	MM	179	3.2	14.0	26.3	21.2	38.5
PACE	NN	90	3.4	10.0	25.6	27.8	36.7

NOTES:

¹ Respondents are defined as eligibles who completed all 6 ADL questions (items 4a-4f).

² SCO participants are aged 65+.

SOURCE: RTI analysis of the 2005 HOS-M survey.

Computer Output: phs2005_026

Table 7
Functional status of community residing non-ESRD respondents¹ aged 55+² to the 2005 HOS-M by plan

Plan type	Plan	# of respondents	Mean # of ADLs	No ADLs	1-2 ADLs	3-4 ADLs	5-6 ADLs
TOTAL SAMPLE		8,326	3.1	1,431	2,050	1,853	2,992
PACE TOTAL		5,668	3.5	677	1,251	1,329	2,411
DUAL ELIGIBLE DEMOS TOTAL		2,658	2.3	754	799	524	581
MSHO/MnDHO TOTAL		1,394	2.0	492	412	237	253
WPP TOTAL		900	2.9	147	276	214	263
SCO TOTAL		364	2.1	115	111	73	65
PACE	A	151	3.9	14	26	37	74
PACE	B	478	2.9	78	145	116	139
PACE	C	41	4.3	5	3	6	27
PACE	D	88	3.2	9	27	23	29
PACE	E	80	3.2	6	27	21	26
PACE	F	88	3.0	18	16	27	27
PACE	G	121	4.5	5	18	16	82
PACE	H	61	3.7	9	8	18	26
PACE	I	60	2.3	11	26	13	10
PACE	J	179	2.9	30	55	44	50
PACE	K	170	3.7	14	36	45	75
SCO	L	47	1.5	20	17	4	6
SCO	M	88	3.3	17	15	25	31
SCO	N	229	1.8	78	79	44	28
PACE	O	75	3.4	9	21	13	32
MnDHO	P	28	3.7	6	3	4	15
MSHO	Q	709	2.0	261	197	124	127
MSHO	R	175	2.0	62	53	30	30
MSHO	S	482	2.0	163	159	79	81
PACE	T	96	3.8	9	19	22	46
PACE	U	164	3.8	10	32	52	70
PACE	V	38	4.3	2	4	9	23
PACE	W	776	3.4	105	173	196	302
PACE	X	178	3.9	9	35	44	90
PACE	Y	126	3.4	17	29	29	51
PACE	Z	142	2.8	20	47	44	31
PACE	AA	394	4.0	31	71	90	202
PACE	BB	107	3.7	10	20	31	46
PACE	CC	172	4.5	10	21	34	107
PACE	DD	148	4.5	10	13	30	95
PACE	EE	466	3.5	77	85	109	195
PACE	FF	111	4.1	4	24	20	63
WPP	GG	29	3.7	1	9	6	13
WPP	HH	349	2.9	53	112	88	96
WPP	II	206	3.0	35	53	50	68
WPP	JJ	316	2.8	58	102	70	86
PACE	KK	285	3.1	48	73	66	98
PACE	LL	604	3.7	73	127	111	293
PACE	MM	179	3.2	25	47	38	69
PACE	NN	90	3.4	9	23	25	33

NOTES:

¹ Respondents are defined as eligibles who completed all 6 ADL questions (items 4a-4f).

² SCO participants are aged 65+.

SOURCE: RTI analysis of the 2005 HOS-M survey.

Computer Output: phs2005_026

Table 8
2004 PHS and 2005 HOS-M: Comparison of functional status of community residing non-ESRD respondents aged 55+² (proportions)

Plan type	Plan	2005 HOS-M						2004 PHS					
		# of respondents	Mean # of ADLs	No ADLs %	1-2 ADLs %	3-4 ADLs %	5-6 ADLs %	# of respondents	Mean # of ADLs	No ADLs %	1-2 ADLs %	3-4 ADLs %	5-6 ADLs %
All PACE		5,668	3.5	11.9	22.1	23.4	42.5	5,387	3.5	11.0	23.0	23.8	42.2
DUAL ELIGIBLE DEMOS TOTAL		2,658	2.3	28.4	30.1	19.7	21.9	2,178	2.3	28.9	29.7	18.8	22.6
MSHO/MnDHO TOTAL		1,394	2.0	35.3	29.6	17.0	18.1	1,387	2.0	36.3	29.2	15.5	19.0
WPP TOTAL		900	2.9	16.3	30.7	23.8	29.2	791	2.9	16.1	30.5	24.5	29.0
SCO TOTAL		364	2.1	31.6	30.5	20.1	17.9			*			
PACE	A	151	3.9	9.3	17.2	24.5	49.0	139	3.8	10.8	15.1	25.2	48.9
PACE	B	478	2.9	16.3	30.3	24.3	29.1	490	2.8	16.1	31.8	27.6	24.5
PACE	C	41	4.3	12.2	7.3	14.6	65.9			*			
PACE	D	88	3.2	10.2	30.7	26.1	33.0	57	3.3	8.8	29.8	22.8	38.6
PACE	E	80	3.2	7.5	33.8	26.3	32.5	100	3.0	10.0	30.0	32.0	28.0
PACE	F	88	3.0	20.5	18.2	30.7	30.7	93	3.2	8.6	29.0	30.1	32.3
PACE	G	121	4.5	4.1	14.9	13.2	67.8	123	4.6	2.4	11.4	22.0	64.2
PACE	H	61	3.7	14.8	13.1	29.5	42.6	49	3.9	6.1	18.4	24.5	51.0
PACE	I	60	2.3	18.3	43.3	21.7	16.7	55	3.1	12.7	25.5	34.5	27.3
PACE	J	179	2.9	16.8	30.7	24.6	27.9			*			
PACE	K	170	3.7	8.2	21.2	26.5	44.1	153	4.2	3.9	15.0	28.8	52.3
SCO	L	47	1.5	42.6	36.2	8.5	12.8			*			
SCO	M	88	3.3	19.3	17.0	28.4	35.2			*			
SCO	N	229	1.8	34.1	34.5	19.2	12.2			*			
PACE	O	75	3.4	12.0	28.0	17.3	42.7	87	3.4	12.6	20.7	21.8	44.8
MnDHO	P	28	3.7	21.4	10.7	14.3	53.6	27	4.3	14.8	7.4	18.5	59.3
MSHO	Q	709	2.0	36.8	27.8	17.5	17.9	739	2.0	37.5	28.0	15.4	19.1
MSHO	R	175	2.0	35.4	30.3	17.1	17.1	183	1.6	39.3	36.6	10.9	13.1
MSHO	S	482	2.0	33.8	33.0	16.4	16.8	438	2.1	34.2	29.5	17.4	18.9
PACE	T	96	3.8	9.4	19.8	22.9	47.9	132	3.8	8.3	23.5	17.4	50.8
PACE	U	164	3.8	6.1	19.5	31.7	42.7	187	3.8	7.5	16.6	31.6	44.4
PACE	V	38	4.3	5.3	10.5	23.7	60.5	51	3.7	9.8	17.6	31.4	41.2
PACE	W	776	3.4	13.5	22.3	25.3	38.9	686	3.3	14.3	24.8	21.9	39.1
PACE	X	178	3.9	5.1	19.7	24.7	50.6	180	3.9	3.3	24.4	22.2	50.0
PACE	Y	126	3.4	13.5	23.0	23.0	40.5	128	3.4	15.6	17.2	29.7	37.5
PACE	Z	142	2.8	14.1	33.1	31.0	21.8	158	3.1	11.4	31.6	25.3	31.6
PACE	AA	394	4.0	7.9	18.0	22.8	51.3	367	4.1	6.8	15.5	23.7	54.0
PACE	BB	107	3.7	9.3	18.7	29.0	43.0	85	3.3	11.8	22.4	29.4	36.5
PACE	CC	172	4.5	5.8	12.2	19.8	62.2	187	4.5	4.3	11.8	22.5	61.5
PACE	DD	148	4.5	6.8	8.8	20.3	64.2	168	4.0	7.1	17.9	25.6	49.4
PACE	EE	466	3.5	16.5	18.2	23.4	41.8	436	3.3	14.2	22.2	22.9	40.6
PACE	FF	111	4.1	3.6	21.6	18.0	56.8	126	3.8	4.8	25.4	19.8	50.0
WPP	GG	29	3.7	3.4	31.0	20.7	44.8	38	3.5	5.3	26.3	34.2	34.2
WPP	HH	349	2.9	15.2	32.1	25.2	27.5	305	2.9	15.4	31.5	22.3	30.8
WPP	II	206	3.0	17.0	25.7	24.3	33.0	171	3.0	14.0	27.5	29.8	28.7
WPP	JJ	316	2.8	18.4	32.3	22.2	27.2	277	2.7	19.5	31.8	22.4	26.4
PACE	KK	285	3.1	16.8	25.6	23.2	34.4	241	3.0	16.6	27.8	22.0	33.6
PACE	LL	604	3.7	12.1	21.0	18.4	48.5	598	3.6	10.9	24.9	19.4	44.8
PACE	MM	179	3.2	14.0	26.3	21.2	38.5	202	3.1	17.3	26.2	16.3	40.1
PACE	NN	90	3.4	10.0	25.6	27.8	36.7	109	3.4	11.9	22.9	27.5	37.6

NOTES:

* Some plans did not participate in earlier survey years.

¹ Respondents are defined as eligibles who completed all 6 ADL questions (items 4a-4f).

² SCO participants are aged 65+.

³ SCOs participated in HOS-M for the first time in 2005; totals for dual demos include MN and WI only for 2004.

SOURCE: RTI analysis of the 2005 HOS-M survey.

Computer Output: phs2005_026

Table 9
2005 HOS-M: ADL impairment by plan
Community-residing non-ESRD respondents aged 55+

Plan type	Plan	Bathing	Dressing	Walking	Transferring	Toileting	Eating
		%	%	%	%	%	%
TOTAL SAMPLE		61.8	52.8	75.2	59.4	41.1	24.5
PACE TOTAL		70.5	61.2	80.1	65.0	48.2	28.4
DUAL ELIGIBLE DEMOS TOTAL		43.3	34.8	64.9	47.6	25.9	16.3
MSHO/MnDHO TOTAL		36.7	29.4	58.4	40.8	21.7	14.6
WPP TOTAL		56.3	44.2	75.9	58.8	34.7	18.9
SCO TOTAL		36.5	32.4	62.4	45.6	20.3	15.9
PACE	A	74.2	69.5	84.1	74.8	55.6	29.1
PACE	B	60.5	43.5	74.7	56.5	33.7	21.1
PACE	C	78.0	75.6	82.9	80.5	68.3	43.9
PACE	D	65.9	46.6	81.8	65.9	37.5	23.9
PACE	E	61.3	51.3	83.8	68.8	37.5	18.8
PACE	F	67.0	52.3	70.5	55.7	38.6	20.5
PACE	G	90.1	80.2	86.0	77.7	70.2	46.3
PACE	H	73.8	68.9	77.0	65.6	49.2	34.4
PACE	I	53.3	35.0	65.0	41.7	25.0	10.0
PACE	J	54.7	50.8	72.6	55.9	33.5	20.7
PACE	K	72.4	62.9	87.6	71.2	48.2	29.4
SCO	L	21.3	21.3	57.4	25.5	17.0	8.5
SCO	M	59.1	58.0	79.5	64.8	42.0	29.5
SCO	N	31.0	24.9	56.8	42.4	12.7	12.2
PACE	O	65.3	60.0	81.3	68.0	45.3	16.0
MnDHO	P	67.9	57.1	78.6	71.4	57.1	35.7
MSHO	Q	36.4	30.9	57.1	39.4	21.4	14.1
MSHO	R	36.0	26.9	59.4	44.0	17.1	14.3
MSHO	S	35.5	26.6	58.7	40.0	21.8	14.3
PACE	T	75.0	66.7	82.3	64.6	55.2	39.6
PACE	U	82.3	61.6	88.4	70.7	49.4	23.2
PACE	V	81.6	78.9	94.7	73.7	60.5	36.8
PACE	W	66.0	61.6	79.8	62.8	42.8	26.2
PACE	X	83.1	68.5	88.8	71.3	56.7	25.8
PACE	Y	66.7	61.1	76.2	63.5	46.8	24.6
PACE	Z	52.8	44.4	81.7	57.7	27.5	11.3
PACE	AA	79.2	71.3	78.9	69.8	60.2	37.8
PACE	BB	72.0	64.5	83.2	70.1	49.5	27.1
PACE	CC	87.2	83.1	85.5	78.5	66.9	44.8
PACE	DD	86.5	79.1	85.8	85.1	67.6	43.2
PACE	EE	63.5	61.8	78.1	66.1	46.8	30.7
PACE	FF	84.7	73.9	89.2	68.5	62.2	35.1
WPP	GG	62.1	55.2	89.7	75.9	48.3	34.5
WPP	HH	57.6	43.3	77.7	59.3	33.2	16.9
WPP	II	60.2	49.0	75.2	58.7	36.4	20.9
WPP	JJ	51.9	41.1	73.1	56.6	33.9	18.4
PACE	KK	61.8	48.8	75.8	62.8	38.9	23.5
PACE	LL	76.5	64.2	79.1	58.6	57.0	34.1
PACE	MM	65.4	58.1	77.7	58.1	45.3	19.0
PACE	NN	78.9	51.1	77.8	67.8	42.2	18.9

NOTES:

Respondents are defined as eligibles who completed all 6 ADL questions (items 4a-4f).

SOURCE: RTI analysis of the HOS-M data, 2005.

Computer Output: phs2005_03c

Table 10
2005 HOS-M: ADL counts by plan
Community-residing non-ESRD respondents aged 55+

Plan type	Plan	No	1	2	3	4	5	6
		ADLs	ADL	ADLs	ADLs	ADLs	ADLs	ADLs
		%	%	%	%	%	%	%
TOTAL SAMPLE		17.2	11.8	12.8	10.7	11.6	16.6	19.3
PACE TOTAL		11.9	9.9	12.2	10.7	12.8	19.3	23.2
DUAL ELIGIBLE DEMOS TOTAL		35.3	16.3	13.3	9.9	7.1	8.2	10.0
MSHO/MnDHO TOTAL		16.3	14.8	15.9	11.9	11.9	16.3	12.9
WPP TOTAL		31.6	16.5	14.0	10.2	9.9	8.5	9.3
SCO TOTAL		28.4	15.8	14.3	10.6	9.1	11.0	10.9
PACE	A	9.3	7.3	9.9	7.3	17.2	24.5	24.5
PACE	B	16.3	13.4	16.9	14.4	9.8	14.4	14.6
PACE	C	12.2	0.0	7.3	9.8	4.9	29.3	36.6
PACE	D	10.2	13.6	17.0	12.5	13.6	15.9	17.0
PACE	E	7.5	15.0	18.8	10.0	16.3	21.3	11.3
PACE	F	20.5	6.8	11.4	14.8	15.9	17.0	13.6
PACE	G	4.1	5.8	9.1	5.8	7.4	27.3	40.5
PACE	H	14.8	0.0	13.1	16.4	13.1	14.8	27.9
PACE	I	18.3	16.7	26.7	13.3	8.3	13.3	3.3
PACE	J	16.8	13.4	17.3	11.7	12.8	14.0	14.0
PACE	K	8.2	12.4	8.8	10.0	16.5	18.8	25.3
SCO	L	42.6	25.5	10.6	2.1	6.4	4.3	8.5
SCO	M	19.3	5.7	11.4	9.1	19.3	11.4	23.9
SCO	N	34.1	18.8	15.7	12.2	7.0	8.3	3.9
PACE	O	12.0	6.7	21.3	6.7	10.7	32.0	10.7
MnDHO	P	21.4	3.6	7.1	7.1	7.1	21.4	32.1
MSHO	Q	36.8	15.9	11.8	9.9	7.6	7.9	10.0
MSHO	R	35.4	16.0	14.3	9.1	8.0	9.1	8.0
MSHO	S	33.8	17.6	15.4	10.4	6.0	7.5	9.3
PACE	T	9.4	10.4	9.4	10.4	12.5	14.6	33.3
PACE	U	6.1	7.3	12.2	16.5	15.2	22.6	20.1
PACE	V	5.3	7.9	2.6	18.4	5.3	26.3	34.2
PACE	W	13.5	12.1	10.2	10.2	15.1	17.8	21.1
PACE	X	5.1	9.0	10.7	10.1	14.6	28.1	22.5
PACE	Y	13.5	8.7	14.3	10.3	12.7	23.0	17.5
PACE	Z	14.1	17.6	15.5	13.4	17.6	14.8	7.0
PACE	AA	7.9	8.1	9.9	10.7	12.2	19.0	32.2
PACE	BB	9.3	9.3	9.3	15.9	13.1	19.6	23.4
PACE	CC	5.8	4.7	7.6	4.7	15.1	21.5	40.7
PACE	DD	6.8	0.7	8.1	9.5	10.8	26.4	37.8
PACE	EE	16.5	7.7	10.5	8.4	15.0	18.0	23.8
PACE	FF	3.6	9.0	12.6	8.1	9.9	25.2	31.5
WPP	GG	3.4	10.3	20.7	17.2	3.4	20.7	24.1
WPP	HH	15.2	14.0	18.1	12.0	13.2	16.0	11.5
WPP	II	17.0	12.6	13.1	13.1	11.2	20.4	12.6
WPP	JJ	18.4	17.4	14.9	10.4	11.7	13.6	13.6
PACE	KK	16.8	10.2	15.4	13.3	9.8	15.1	19.3
PACE	LL	12.1	10.1	10.9	8.3	10.1	18.7	29.8
PACE	MM	14.0	11.7	14.5	10.6	10.6	22.9	15.6
PACE	NN	10.0	11.1	14.4	13.3	14.4	21.1	15.6

NOTES:

Respondents are defined as eligibles who completed all 6 ADL questions (items 4a-4f).

SOURCE: RTI analysis of the HOS-M data, 2005.

Computer Output: phs2005_04e

Table 11
2005 HOS-M: SF-12 Physical (PCS) and Mental (MCS) Component Mean unadjusted¹
scores by plan Community-residing non-ESRD respondents aged 55+

Plan type	Plan	SF-12 respondents ²		
		N	PCS	MCS
TOTAL SAMPLE		8,326	31.5	44.9
PACE TOTAL		5,668	30.6	44.1
DUAL ELIGIBLE DEMOS TOTAL		2,658	33.3	46.8
MSHO/MnDHO TOTAL		1,394	34.5	48.0
WPP TOTAL		900	31.1	46.5
SCO TOTAL		364	34.6	43.4
PACE	A	151	30.0	43.2
PACE	B	478	31.5	45.4
PACE	C	41	30.3	41.3
PACE	D	88	28.9	46.0
PACE	E	80	31.5	45.8
PACE	F	88	31.8	44.2
PACE	G	121	29.0	42.2
PACE	H	61	31.0	44.9
PACE	I	60	34.7	46.4
PACE	J	179	32.4	45.6
PACE	K	170	31.0	42.3
SCO	L	47	36.0	45.6
SCO	M	88	32.4	41.3
SCO	N	229	35.1	43.8
PACE	O	75	32.3	46.2
MnDHO	P	28	30.3	51.5
MSHO	Q	709	34.9	47.5
MSHO	R	175	33.7	48.5
MSHO	S	482	34.4	48.2
PACE	T	96	31.2	42.3
PACE	U	164	30.0	46.7
PACE	V	38	26.6	45.8
PACE	W	776	30.9	43.0
PACE	X	178	28.9	45.3
PACE	Y	126	31.3	44.7
PACE	Z	142	30.4	45.4
PACE	AA	394	30.9	45.0
PACE	BB	107	30.7	43.9
PACE	CC	172	29.6	43.0
PACE	DD	148	27.9	41.1
PACE	EE	466	30.9	42.1
PACE	FF	111	30.7	43.0
WPP	GG	29	25.6	47.0
WPP	HH	349	30.0	47.5
WPP	II	206	31.3	44.7
WPP	JJ	316	32.6	46.4
PACE	KK	285	31.0	46.6
PACE	LL	604	29.4	43.5
PACE	MM	179	32.4	45.7
PACE	NN	90	29.4	41.6

NOTES:

¹SF-12 scores are not adjusted for casemix.

²SF-12 scores are presented only for those who responded to all of the SF-12 items, including participants who may not have answered all 6 ADL items.

SOURCE: RTI analysis of the HOS-M data, 2005.

Computer Output: phs2005_04a

Table 12
2005 HOS-M: Respondent¹ type by plan
Community-residing non-ESRD respondents aged 55+

Plan type	Plan	Self	Proxy		Missing
			Family	professional	
		%	%	%	%
TOTAL SAMPLE		30.7	44.4	11.7	13.2
PACE TOTAL		25.7	48.3	14.7	11.2
DUAL ELIGIBLE DEMOS TOTAL		43.5	34.4	3.4	18.7
MSHO/MnDHO TOTAL		40.2	35.6	7.3	16.9
WPP TOTAL		35.4	44.5	6.6	13.5
SCO TOTAL		41.3	36.2	5.2	17.3
PACE	A	23.8	45.7	17.2	13.2
PACE	B	30.1	51.5	7.9	10.5
PACE	C	7.3	70.7	4.9	17.1
PACE	D	40.9	39.8	9.1	10.2
PACE	E	30.0	36.3	22.5	11.3
PACE	F	34.1	45.5	10.2	10.2
PACE	G	7.4	86.0	1.7	5.0
PACE	H	27.9	44.3	11.5	16.4
PACE	I	43.3	38.3	6.7	11.7
PACE	J	34.6	37.4	17.3	10.6
PACE	K	31.8	55.9	2.4	10.0
SCO	L	23.4	44.7	4.3	27.7
SCO	M	29.5	56.8	5.7	8.0
SCO	N	40.2	39.7	7.4	12.7
PACE	O	29.3	49.3	9.3	12.0
MnDHO	P	67.9	14.3	17.9	0.0
MSHO	Q	37.9	38.1	3.4	20.6
MSHO	R	54.9	21.7	1.1	22.3
MSHO	S	46.1	34.9	3.5	15.6
PACE	T	16.7	63.5	14.6	5.2
PACE	U	24.4	59.8	7.3	8.5
PACE	V	26.3	44.7	7.9	21.1
PACE	W	26.9	41.6	19.7	11.7
PACE	X	24.7	62.9	3.4	9.0
PACE	Y	40.5	43.7	4.0	11.9
PACE	Z	43.7	26.8	12.7	16.9
PACE	AA	25.4	23.4	38.8	12.4
PACE	BB	16.8	54.2	17.8	11.2
PACE	CC	4.1	83.7	2.9	9.3
PACE	DD	10.1	77.7	4.1	8.1
PACE	EE	23.0	57.9	8.6	10.5
PACE	FF	32.4	44.1	10.8	12.6
WPP	GG	79.3	20.7	0.0	0.0
WPP	HH	44.1	30.4	5.2	20.3
WPP	II	32.5	46.6	9.7	11.2
WPP	JJ	37.3	35.4	8.9	18.4
PACE	KK	31.6	43.5	8.1	16.8
PACE	LL	22.5	46.2	22.4	8.9
PACE	MM	18.4	26.8	36.9	17.9
PACE	NN	23.3	60.0	10.0	6.7

NOTES:

¹Respondents are defined as eligibles who completed all 6 ADL questions.

SOURCE: RTI analysis of the HOS-M data, 2005.

Computer Output: phs2005_04f

Table 13
2005 HOS-M: Reasons for proxy respondents by plan¹
Community-residing non-ESRD respondents aged 55+

Plan type	Plan	Physical	Memory loss	Unable to to	Person not	Other reason
		Health	or Meantal	speak or read	available	
		%	%	%	%	%
TOTAL SAMPLE		51.3	45.7	23.4	13.9	32.1
PACE TOTAL		55.4	51.1	17.7	15.1	31.5
DUAL ELIGIBLE DEMOS TOTAL		32.5	21.2	60.9	10.1	27.9
MSHO/MnDHO TOTAL		47.8	39.5	14.7	11.0	43.6
WPP TOTAL		34.2	26.3	39.5	8.4	32.6
SCO TOTAL		38.0	28.2	41.8	10.2	34.0
PACE	A	51.5	43.7	17.5	16.5	36.9
PACE	B	45.5	53.5	11.0	20.3	39.2
PACE	C	44.4	55.6	8.3	5.6	27.8
PACE	D	63.0	52.2	0.0	21.7	43.5
PACE	E	65.3	42.9	14.3	18.4	30.6
PACE	F	40.7	61.1	16.7	9.3	25.9
PACE	G	62.4	69.7	8.3	24.8	18.3
PACE	H	55.0	57.5	42.5	10.0	17.5
PACE	I	44.8	58.6	24.1	17.2	41.4
PACE	J	45.7	39.0	24.8	11.4	47.6
PACE	K	61.8	64.7	22.5	24.5	36.3
SCO	L	29.6	11.1	66.7	7.4	29.6
SCO	M	45.3	32.1	49.1	7.5	34.0
SCO	N	30.0	27.3	28.2	9.1	32.7
PACE	O	53.3	60.0	6.7	13.3	28.9
MnDHO	P	66.7	11.1	11.1	11.1	44.4
MSHO	Q	28.9	22.2	69.9	11.4	21.1
MSHO	R	34.0	21.3	42.6	12.8	36.2
MSHO	S	36.6	20.0	52.2	7.3	36.6
PACE	T	62.7	50.7	14.7	8.0	25.3
PACE	U	60.2	55.8	6.2	19.5	42.5
PACE	V	69.6	30.4	8.7	21.7	60.9
PACE	W	49.1	30.5	35.0	8.8	27.1
PACE	X	55.6	48.4	12.7	33.3	30.2
PACE	Y	50.7	63.8	4.3	17.4	29.0
PACE	Z	53.1	37.5	7.8	17.2	34.4
PACE	AA	58.0	77.7	12.4	12.8	28.1
PACE	BB	55.0	51.3	10.0	15.0	35.0
PACE	CC	66.0	65.4	21.0	17.3	30.2
PACE	DD	65.4	66.2	10.8	14.6	26.9
PACE	EE	53.1	46.9	17.6	13.9	40.1
PACE	FF	68.1	56.5	14.5	14.5	29.0
WPP	GG	83.3	50.0	16.7	16.7	50.0
WPP	HH	50.8	33.1	9.2	12.3	46.2
WPP	II	43.1	42.3	13.0	11.4	52.0
WPP	JJ	47.7	42.3	20.8	9.4	34.2
PACE	KK	54.8	47.6	7.1	19.6	38.1
PACE	LL	64.9	43.7	25.5	11.6	20.0
PACE	MM	44.3	53.4	11.5	6.9	33.6
PACE	NN	49.2	60.0	7.7	18.5	32.3

NOTES:

¹ Proxy respondents are defined as proxies who completed all 6 ADL questions.

Percents do not sum to 100 because some respondents checked more than one answer.

SOURCE: RTI analysis of the HOS-M data, 2005.

Computer Output: phs2005_04g

Table 14
2005 HOS-M: Type of help provided by proxy respondents by plan ¹
Community-residing non-ESRD respondents aged 55+

Plan type	Plan	Read	Wrote down	Answered	Used medical	Translated	Other
		questions to sample member	answers for sample member	based on experience	records	survey questions	
		%	%	%	%	%	%
TOTAL SAMPLE		37.1	26.6	69.7	9.4	8.2	2.9
PACE TOTAL		32.7	24.2	73.3	9.5	5.2	2.2
DUAL ELIGIBLE DEMOS TOTAL		51.3	34.7	57.9	9.1	18.1	5.0
MSHO/MnDHO TOTAL		52.5	34.2	54.9	11.1	29.8	7.0
WPP TOTAL		46.2	37.1	65.0	6.4	3.2	2.1
SCO TOTAL		58.2	30.8	51.6	9.3	15.9	5.5
PACE	A	60.2	43.0	53.8	10.8	4.3	3.2
PACE	B	25.5	17.7	81.6	5.0	1.1	1.1
PACE	C	24.1	6.9	82.8	6.9	0.0	3.4
PACE	D	38.1	26.2	66.7	9.5	0.0	2.4
PACE	E	50.0	50.0	60.9	6.5	2.2	0.0
PACE	F	27.7	25.5	72.3	0.0	8.5	2.1
PACE	G	20.0	15.2	90.5	1.9	1.0	1.0
PACE	H	32.4	17.6	70.6	8.8	17.6	0.0
PACE	I	34.6	19.2	73.1	15.4	7.7	0.0
PACE	J	49.0	29.2	53.1	10.4	3.1	1.0
PACE	K	21.3	11.7	84.0	7.4	2.1	0.0
SCO	L	47.8	21.7	52.2	8.7	39.1	8.7
SCO	M	55.6	25.9	64.8	16.7	18.5	7.4
SCO	N	61.9	35.2	44.8	5.7	9.5	3.8
PACE	O	33.3	28.6	81.0	14.3	4.8	0.0
MnDHO	P	66.7	88.9	22.2	11.1	0.0	0.0
MSHO	Q	55.3	36.3	54.2	11.6	37.3	3.5
MSHO	R	64.1	33.3	51.3	12.8	15.4	7.7
MSHO	S	45.1	28.6	58.2	9.9	22.5	12.6
PACE	T	29.2	26.4	75.0	6.9	1.4	1.4
PACE	U	27.4	22.6	81.1	8.5	0.0	1.9
PACE	V	25.0	25.0	75.0	15.0	5.0	0.0
PACE	W	39.8	27.3	59.6	6.6	14.1	2.9
PACE	X	20.7	11.2	85.3	6.0	0.9	1.7
PACE	Y	26.3	17.5	84.2	7.0	1.8	0.0
PACE	Z	52.7	47.3	56.4	1.8	7.3	3.6
PACE	AA	21.5	14.9	83.9	22.3	0.4	1.2
PACE	BB	30.3	27.6	75.0	7.9	0.0	0.0
PACE	CC	17.7	9.5	91.8	5.4	2.0	0.7
PACE	DD	26.7	20.0	81.7	3.3	2.5	4.2
PACE	EE	45.7	23.0	70.1	13.5	5.6	3.3
PACE	FF	30.0	23.3	83.3	3.3	8.3	0.0
WPP	GG	50.0	16.7	66.7	16.7	0.0	0.0
WPP	HH	49.6	42.1	62.0	5.0	4.1	0.8
WPP	II	41.2	34.2	68.4	7.0	0.9	3.5
WPP	JJ	47.1	36.0	64.7	6.6	4.4	2.2
PACE	KK	33.8	28.3	76.6	14.5	2.8	6.9
PACE	LL	30.6	33.4	66.3	14.3	11.2	3.3
PACE	MM	43.8	33.0	61.6	9.8	2.7	2.7
PACE	NN	25.4	23.7	84.7	6.8	1.7	0.0

NOTES:

¹ Proxy respondents are defined as proxies who completed all 6 ADL questions.

Percents do not sum to 100 because some respondents checked more than one answer.

SOURCE: RTI analysis of the HOS-M data, 2005.

Computer Output: phs2005_04h

Table 15
2005 HOS-M: Type of professional proxy respondent ¹
Community-residing non-ESRD respondents aged 55+

Plan type	Plan	Home health aide, personal care attendant,	Nurse (RN, LPN, NP)	Social worker or case manager	Adult foster care, adult day care or assisted living staff	Interpreter	Other
		%	%	%	%	%	%
TOTAL SAMPLE		16.0	11.9	48.2	16.2	1.6	6.2
PACE TOTAL		14.0	9.5	51.8	17.7	1.5	5.5
DUAL ELIGIBLE DEMOS TOTAL		28.1	26.6	25.8	7.0	2.3	10.2
MSHO/MnDHO TOTAL		20.0	20.0	37.8	6.7	6.7	8.9
WPP TOTAL		35.0	23.3	25.0	6.7	0.0	10.0
SCO TOTAL		26.1	47.8	4.3	8.7	0.0	13.0
PACE	A	3.8	0.0	96.2	0.0	0.0	0.0
PACE	B	11.1	8.3	58.3	11.1	0.0	11.1
PACE	C	0.0	0.0	50.0	0.0	0.0	50.0
PACE	D	25.0	12.5	62.5	0.0	0.0	0.0
PACE	E	0.0	0.0	88.2	5.9	0.0	5.9
PACE	F	22.2	33.3	22.2	11.1	0.0	11.1
PACE	G	50.0	50.0	0.0	0.0	0.0	0.0
PACE	H	16.7	0.0	66.7	0.0	0.0	16.7
PACE	I	0.0	0.0	100.0	0.0	0.0	0.0
PACE	J	6.9	3.4	48.3	6.9	27.6	6.9
PACE	K	0.0	0.0	100.0	0.0	0.0	0.0
SCO	L	50.0	0.0	0.0	0.0	0.0	50.0
SCO	M	60.0	0.0	20.0	20.0	0.0	0.0
SCO	N	12.5	68.8	0.0	6.3	0.0	12.5
PACE	O	14.3	28.6	42.9	0.0	0.0	14.3
MnDHO	P	40.0	0.0	60.0	0.0	0.0	0.0
MSHO	Q	23.8	28.6	19.0	9.5	14.3	4.8
MSHO	R	0.0	100.0	0.0	0.0	0.0	0.0
MSHO	S	11.8	5.9	58.8	5.9	0.0	17.6
PACE	T	7.1	7.1	85.7	0.0	0.0	0.0
PACE	U	60.0	10.0	30.0	0.0	0.0	0.0
PACE	V	0.0	0.0	100.0	0.0	0.0	0.0
PACE	W	25.9	13.3	46.2	8.4	0.7	5.6
PACE	X	16.7	33.3	50.0	0.0	0.0	0.0
PACE	Y	60.0	20.0	20.0	0.0	0.0	0.0
PACE	Z	27.8	5.6	61.1	0.0	0.0	5.6
PACE	AA	15.4	3.4	22.1	55.0	0.0	4.0
PACE	BB	27.8	16.7	44.4	11.1	0.0	0.0
PACE	CC	20.0	20.0	40.0	0.0	0.0	20.0
PACE	DD	16.7	0.0	66.7	16.7	0.0	0.0
PACE	EE	15.8	18.4	36.8	21.1	2.6	5.3
PACE	FF	9.1	18.2	9.1	27.3	0.0	36.4
WPP	GG	0.0	0.0	0.0	0.0	0.0	0.0
WPP	HH	52.9	11.8	29.4	5.9	0.0	0.0
WPP	II	43.8	6.3	37.5	0.0	0.0	12.5
WPP	JJ	18.5	40.7	14.8	11.1	0.0	14.8
PACE	KK	4.5	9.1	72.7	13.6	0.0	0.0
PACE	LL	2.3	13.8	69.2	6.2	0.8	7.7
PACE	MM	6.5	3.2	66.1	22.6	1.6	0.0
PACE	NN	0.0	0.0	88.9	0.0	0.0	11.1

NOTES:

¹Proxy respondents are defined as proxies who completed all 6 ADL questions.

SOURCE: RTI analysis of the HOS-M data, 2005.

Computer Output: phs2005_04i

Table 16
2005 HOS-M: Reported memory loss¹ by respondent type by plan²
Community-residing non-ESRD respondents aged 55+

Plan type	Plan	Total Sample		Self-Respondents		Family Proxy		Health Professional		Missing Proxy Information	
		Memory		Memory		Memory		Memory		Memory	
		Loss	Missing	Loss	Missing	Loss	Missing	Loss	Missing	Loss	Missing
		%	%	%	%	%	%	%	%	%	%
TOTAL SAMPLE		47.1	7.7	27.6	8.8	63.0	4.2	55.7	3.6	31.3	20.0
PACE TOTAL		53.9	7.1	32.2	8.7	68.0	4.2	57.8	3.7	37.7	19.9
DUAL ELIGIBLE DEMOS TOTAL		32.7	8.9	21.4	9.0	48.9	4.2	42.8	2.9	22.6	20.2
MSHO/MnDHO TOTAL		29.3	9.8	19.3	9.2	45.2	4.8	37.5	2.1	21.5	21.5
WPP TOTAL		34.9	7.6	22.7	8.6	53.8	1.6	39.4	4.5	22.4	19.1
SCO TOTAL		40.1	8.8	27.9	9.3	50.0	7.4	62.5	0.0	28.6	16.3
PACE	A	50.3	8.6	33.3	2.8	56.5	7.2	61.5	7.7	45.0	25.0
PACE	B	49.4	8.8	27.1	13.2	66.7	3.3	42.1	5.3	34.0	26.0
PACE	C	58.5	17.1	66.7	0.0	69.0	13.8	0.0	50.0	28.6	28.6
PACE	D	46.6	6.8	27.8	11.1	71.4	2.9	50.0	0.0	22.2	11.1
PACE	E	36.3	10.0	16.7	16.7	65.5	0.0	22.2	11.1	22.2	22.2
PACE	F	46.6	8.0	26.7	6.7	65.0	7.5	44.4	11.1	33.3	11.1
PACE	G	73.6	4.1	33.3	11.1	77.9	2.9	50.0	0.0	66.7	16.7
PACE	H	54.1	11.5	35.3	11.8	70.4	7.4	71.4	0.0	30.0	30.0
PACE	I	46.7	8.3	38.5	7.7	73.9	0.0	25.0	25.0	0.0	28.6
PACE	J	34.1	9.5	27.4	8.1	46.3	10.4	32.3	0.0	15.8	26.3
PACE	K	47.6	8.2	22.2	11.1	69.5	6.3	25.0	25.0	11.8	5.9
SCO	L	29.8	12.8	36.4	27.3	33.3	4.8	0.0	0.0	23.1	15.4
SCO	M	45.5	8.0	23.1	3.8	54.0	10.0	100.0	0.0	28.6	14.3
SCO	N	40.2	8.3	28.3	8.7	51.6	6.6	58.8	0.0	31.0	17.2
PACE	O	52.0	6.7	27.3	4.5	81.1	2.7	14.3	0.0	22.2	33.3
MnDHO	P	32.1	7.1	31.6	10.5	75.0	0.0	0.0	0.0	0.0	0.0
MSHO	Q	31.2	8.7	20.8	7.8	44.1	4.4	41.7	4.2	24.7	19.2
MSHO	R	24.6	14.3	15.6	13.5	55.3	5.3	50.0	0.0	15.4	25.6
MSHO	S	28.0	9.8	18.0	9.0	44.0	5.4	41.2	0.0	18.7	24.0
PACE	T	57.3	10.4	25.0	6.3	73.8	8.2	35.7	14.3	20.0	40.0
PACE	U	54.3	5.5	27.5	12.5	66.3	2.0	66.7	0.0	35.7	14.3
PACE	V	34.2	2.6	10.0	0.0	52.9	0.0	33.3	0.0	25.0	12.5
PACE	W	49.6	6.4	39.7	7.7	58.8	3.7	51.0	2.6	37.4	19.8
PACE	X	46.1	5.6	25.0	6.8	58.0	2.7	33.3	0.0	25.0	25.0
PACE	Y	50.0	4.0	31.4	3.9	63.6	3.6	60.0	0.0	60.0	6.7
PACE	Z	40.8	7.0	29.0	6.5	65.8	2.6	38.9	0.0	33.3	20.8
PACE	AA	64.0	9.6	26.0	15.0	80.4	6.5	85.6	3.9	42.9	22.4
PACE	BB	61.7	3.7	33.3	11.1	81.0	1.7	52.6	0.0	25.0	8.3
PACE	CC	74.4	5.8	14.3	0.0	79.9	4.2	60.0	0.0	56.3	25.0
PACE	DD	71.6	3.4	53.3	0.0	78.3	2.6	50.0	0.0	41.7	16.7
PACE	EE	58.6	6.7	38.3	6.5	68.9	5.2	62.5	2.5	42.9	18.4
PACE	FF	57.7	9.0	50.0	5.6	65.3	4.1	75.0	0.0	35.7	42.9
WPP	GG	31.0	6.9	21.7	8.7	66.7	0.0	0.0	0.0	0.0	0.0
WPP	HH	29.2	7.4	20.1	7.1	48.1	2.8	38.9	0.0	18.3	16.9
WPP	II	46.6	3.9	31.3	7.5	60.4	1.0	40.0	0.0	39.1	8.7
WPP	JJ	33.9	10.1	21.2	11.0	52.7	0.9	39.3	10.7	20.7	25.9
PACE	KK	44.6	9.1	23.3	8.9	63.7	4.8	52.2	4.3	31.3	22.9
PACE	LL	59.4	4.3	42.6	7.4	69.5	2.2	60.0	2.2	48.1	13.0
PACE	MM	57.5	8.9	36.4	15.2	70.8	8.3	53.0	6.1	68.8	9.4
PACE	NN	57.8	4.4	23.8	0.0	72.2	5.6	77.8	0.0	16.7	16.7

NOTES:

¹ Self-reported memory loss that interferes with daily activities.

² Respondents are defined as eligibles who completed all 6 ADL questions

SOURCE: RTI analysis of the HOS-M data, 2005.

Computer Output: phs2005_04j

Table 17
2005 HOS-M: Incontinence¹ rates of respondents² by plan
Community-residing non-ESRD respondents aged 55+

Plan type	Plan	Incontinence %	Missing %
TOTAL SAMPLE		32.6	3.7
PACE TOTAL		37.7	4.0
DUAL ELIGIBLE DEMOS TOTAL		21.6	3.2
MSHO/MnDHO TOTAL		16.7	2.5
WPP TOTAL		30.9	3.4
SCO TOTAL		17.6	5.2
PACE	A	37.7	4.6
PACE	B	31.6	4.0
PACE	C	48.8	2.4
PACE	D	38.6	3.4
PACE	E	36.3	2.5
PACE	F	29.5	3.4
PACE	G	45.5	0.8
PACE	H	29.5	9.8
PACE	I	26.7	1.7
PACE	J	23.5	6.1
PACE	K	35.9	5.3
SCO	L	12.8	6.4
SCO	M	27.3	4.5
SCO	N	14.8	5.2
PACE	O	46.7	2.7
MnDHO	P	39.3	3.6
MSHO	Q	16.5	2.5
MSHO	R	16.0	4.6
MSHO	S	16.0	1.7
PACE	T	45.8	4.2
PACE	U	39.0	5.5
PACE	V	42.1	2.6
PACE	W	29.3	5.4
PACE	X	51.7	4.5
PACE	Y	43.7	2.4
PACE	Z	28.9	0.0
PACE	AA	53.3	4.3
PACE	BB	45.8	3.7
PACE	CC	59.3	2.9
PACE	DD	49.3	2.0
PACE	EE	36.7	4.3
PACE	FF	43.2	8.1
WPP	GG	37.9	0.0
WPP	HH	26.6	3.4
WPP	II	32.5	4.4
WPP	JJ	33.9	3.2
PACE	KK	30.5	3.9
PACE	LL	32.6	3.1
PACE	MM	44.7	1.1
PACE	NN	40.0	5.6

NOTES:

¹ Incontinence is defined as a daily difficulty controlling urination or catheter use.

² Respondents are defined as eligibles who completed all 6 ADL questions.

SOURCE: RTI analysis of the HOS-M data, 2005.

Computer Output: phs2005_04k